





OCCUPATIONAL THERAPY ASSESSMENTS



WeeFim



Sensory Profile 2 Adults and adolescents
Sensory Profile 2 Children



MOHOST single screening tool
Home access assessment



Home access assessment


Risk & protective factors, Warning signs

Ideation, Plan, Behaviors, Desire, Intent

Clinical Formulation



Stairlift assessment



SHEA risk assessment




Washing and dressing assessment



Interest checklist

- Personal Causation
- Values
- Interests



- Space
- Social Environment

- Roles
- Routines

- Processing
- Communication and Interaction
- Motor Skills



OCCUPATIONAL THERAPY ASSESSMENTS AVAILABLE AT CCG

Please see table below with list of occupational therapy assessments offered at Catalyst Care Group.

The table outlines the outcome for the assessment/ reason for completing an assessment, and the outcome will support with intervention planning as well as evaluating goals/ occupational therapy input.

Standardised = assessment that requires all test takers to answer the same questions in the same way and is then scored in a 'standard' or consistent manner. This makes it possible to compare the relative performance of individual students or groups of students.

Non-standardised = assessments can still measure a person's skills or progress, but they do not compare them to a group of age peers. Non-standardised assessments can still be structured and provide specific information about a persons abilities and environment.

Assessment	Purpose/Outcome measure of Assessment
Occupational therapy screening assessment	Non standardised holistic information gathering about the person we are supporting to plan further assessments
WeeFim	Standardised assessment and evaluation tool to identify level of function and support in activities of daily living
Sensory Profile 2 Adults and adolescents	Standardised assessment and evaluation tool that identifies and documents how sensoryprocessing may be contributing to or interfering with a person's participation at home, school, and the community and helps inform planning intervention with the person's sensory strengths and challenges in context.
Sensory Profile 2 Children	Standardised assessment and evaluation tool that identifies and documents how sensoryprocessing may be contributing to or interfering with a person's participation at home, school, and the community and helps inform planning intervention with the person's sensory strengths and challenges in context.

MOHOST single screening tool	Standardised assessment and evaluation tool, The MOHOST addresses a person's motivation for occupation, pattern of occupation, communication/interaction, process, and motor skills, and environment. The MOHOST was designed to be used to document progress towards occupational therapy intervention goals as well as to screen for occupational therapy services.
Home access assessment	Non standardised assessment collecting qualitative and quantitative information about the person and their home environment with plan to ensure it meets their needs
SHEA risk assessment	Occupational therapy risk assessment, The Safe Home Environment Assessment (SHEA) is designed to help identify risk behaviors or individual preferences that may need to be considered in the physical environment.
Stairlift assessment	Standardised assessment and evaluation tool that identifies and documents how sensory processing may be contributing to or interfering with a person's participation at home, school, and the community and helps inform planning intervention with the person's sensory strengths and challenges in context.
Community Skills assessment	Standardised assessment and evaluation tool that identifies and documents how sensory processing may be contributing to or interfering with a person's participation at home, school, and the community and helps inform planning intervention with the person's sensory strengths and challenges in context.
Washing and dressing assessment	Standardised assessment and evaluation tool, The MOHOST addresses a person's motivation for occupation, pattern of occupation, communication/interaction, process, and motor skills, and environment. The MOHOST was designed to be used to document progress towards occupational therapy intervention goals as well as to screen for occupational therapy services.
Interest checklists	Non standardised assessment collecting qualitative and quantitative information about the person and their home environment with plan to ensure
Assessment of Occupational Functioning Collaborative Version	A non standardised assessment, the AOF-CV is a screening tool designed to collect a broad range of information believed to influence and indicative of a person's occupational performance and to identify areas needing more in-depth evaluation. It is based directly on the Model of Human Occupation (Kielhofner, 1995) and measures aspects of the human system as defined by this practice model. Therapists using this instrument should be familiar with the practice model. The AOF-CV does not attempt evaluation of specific daily living skills or environmental variables directly, but aims to efficiently generate a picture of numerous complex and interrelated factors likely to influence a person's ability to function.